

"For three days after death, hair and fingernails continue to grow but phone calls taper off."


> —Johnny Carson Comedian and television host


Type of evidence


- Is the hair individual or class evidence? Explain.
- Class evidence—hair itself
- Individual evidence—DNA from the root

Questions for hair/fur

- What is it?
- What is the structure?
- Does it differ from animal to animal? If so, how?
- Does it differ within a species of animal? If so, how?








Hair Shaft

- Composed of:
 - Cuticle—outside covering, made of overlapping scales
 - Cortex—inner layer (second "layer") made of keratin and imbedded with pigment; also contains air sacs called cortical fusi
 - Medulla—inside layer (innermost layer) running down the center of the cortex



The Cuticle

The scales on the cuticle point toward the tip of the hair. Scales differ between species of animals and are named based on their appearance. *The three basic patterns are:*

- CoronalSpinous
- Imbricate



<section-header><section-header><section-header><section-header><section-header><list-item><section-header>



The Medulla

The medulla is the hair core that is not always visible. The medulla comes in different types and patterns.

‡ Human medulla may be continuous, fragmented or absent.



<section-header><section-header><section-header><section-header><section-header><section-header><list-item><section-header><list-item><list-item><list-item><list-item><list-item> <caption> **Cupres of Decouples Propes** • **Propes** • **Propes**

Medullary Index

mouse

Determined by measuring the diameter of the medulla and dividing it by the diameter of the hair.

- Medullary Index for human hair is generally less than 1/3.
- For animal hair, it is usually greater than 1/2.

Can be straight, curly or kinky depending on the cross-section, which may be round, oval or crescent-shaped

Hair Shape



Crescent moon (Kinked)

Kendall/Hunt Publishing Company



 The Root

 Human roots look different based on whether they have been forcibly removed or if they are telogen hairs and have fallen out. Animal roots will vary, but in general have a spear shape.

Fallen out

Kendall/Hunt Publishing Company

15

Forcibly removed

Hair Comparison

- Color
- Length
- Diameter
- Distribution, shape and color intensity of pigment granules
 - Dyed hair has color in cuticle and cortex
 - Bleaching removes pigment and gives a yellow tint

Scale types

- Presence or absence of medulla
- Medullary type
- Medullary
- pattern
- Medullary index

DNA from Hair

- The root contains nuclear DNA. If the hair has been forcibly removed, some folicular tissue may be attached containing DNA.
- The hair shaft contains abundant mitochondrial DNA, inherited only from the mother. It can be typed by comparing relatives if no DNA from the body is available. This process is more difficult and costly than using nuclear DNA.

Kendall/Hunt Publishing Company

3

Collection of Hair

- Questioned hairs must be accompanied by an adequate number of control samples.
 - from victim
 - from possible suspects
 - from others who may have deposited hair at the scene

Control Sample

- 50 full-length hairs from all areas of scalp
- 24 full-length pubic hairs

Kendall/Hunt Publishing Company

Hair Toxicology

- Advantages:
 - · Easy to collect and store
 - · Is externally available
 - Can provide information on the individual's history of drug use or of poisoning.
- Collections must be taken from different locations on the body to get an accurate timeline.

Kendall/Hunt Publishing Company

Hair Toxicology Napoleon died in exile in 1821. By analyzing his hair, some

- investigators suggest he was poisoned by the deliberate administration of arsenic; others suggest that it was vapors from the dyes in the wallpaper that did him in.
- Click <u>here</u> for the real story!

Kendall/Hunt Publishing Co